



AD-A213 758 29

Research Project: Numerical Optimization
Principal Investigator: Francesco Zirilli
Contractor: Università di Roma "La Sapienza"
Contract number: DAJA 45-86-C-0028
Sixth Periodic Report
Jul. 88-Jan 89



The research reported in this document has been made possible through the support and sponsorship of the U.S. Government through its European Research Office of the U.S. Army.

This report is intended only for the internal management use of the Contractor and the U.S. Government.



89 9 06 050

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER AD-1	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) Numerical Optimization	5. TYPE OF REPORT & PERIOD COVERED Periodic Jul. 88-Jan. 89	
	6. PERFORMING ORG. REPORT NUMBER	
7. AUTHOR(s) Francesco Zirilli	8. CONTRACT OR GRANT NUMBER(s) DAJA 45-86-C-0028	
9. PERFORMING ORGANIZATION NAME AND ADDRESS Dipartimento di Matematica "G. Castelnuovo" Università di Roma "La Sapienza" 00185 ROMA (Italy)	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS	
11. CONTROLLING OFFICE NAME AND ADDRESS European Research Office of the U.S. Army 223 Old Marylebone Road London NW1 5 TH (England)	12. REPORT DATE Jan. 89	
	13. NUMBER OF PAGES	
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)	15. SECURITY CLASS. of this report Unclassified	
	16. DECLASSIFICATION/DOWNGRADING SCHEDULE	
17. DISTRIBUTION STATEMENT (for this Report) Unlimited		
18. DISTRIBUTION STATEMENT (for the abstract entered in Block 20, if different from Report) Unlimited		
19. SUPPLEMENTARY NOTES		
20. KEY WORDS (Continue on reverse side if necessary and identify by block number) Numerical Optimization Complementarity Problems Linear Programming		
21. ABSTRACT (Continue on reverse side if necessary and identify by block number) This is the Sixth Periodic Report on Contract DAJA 45-86-0028; it contains: 1) Statement of the scientific work done during the reporting period 2) Research plans for the immediate future.		

DD FORM 1473 EDITION OF 1 NOV 55 IS OBSOLETE

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

1 Statement of scientific work done during the reporting period

Let \mathbb{R}^N be the N -dimensional real euclidean space, $\underline{x} = (x_1, x_2, \dots, x_N)^T \in \mathbb{R}^N$ a generic vector, the superscript T means transpose, $\langle \cdot, \cdot \rangle$ is the euclidean scalar product and $\| \cdot \|$ the euclidean norm. We consider the linear programming problem:

Problem 1 (Linear Programming) Given $\underline{b}, \underline{c} \in \mathbb{R}^N$ and A an $M \times N$ matrix ($M \leq N$), solve the following minimization problem:

$$\text{minimize } \underline{c}, \underline{x}$$

subject to

$$\underline{x} \geq \underline{0}$$

$$A \underline{x} - \underline{b} \geq \underline{0}$$

Where $\underline{x} \geq \underline{0}$ means that each component of \underline{x} is greater or equal to zero and in a similar way $A \underline{x} - \underline{b} \geq \underline{0}$.

Problem 1 has been reduced to the canonical form necessary to apply Karmarkar's algorithm; for this problem the steepest descent differential equation has been written down. Karmarkar's algorithm corresponds to inte-

grating this differential equation with the Euler-Cauchy scheme with variable stepwise. We are considering the use of A-stable linearly implicit methods to integrate the steepest descent differential equation to improve on Karmarkar's algorithm.

Accession For	
NTIS CRA&I	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By	
Distribution /	
Availability Codes	
Dist	Avail and/or Special
A-1	

2 Research Plans for the immediate future

In the future we plan to pursue the following objectives:

- (i) study Renegar's method for linear programming in the context of continuation methods
- (ii) study the nonlinear complementarity problem.

Index

1 Statement of scientific work done during the reporting period	Pag.	2
2 Research plans for the immediate future	"	4

Research Projects

Research during the past six months has comprised investigations into a variety of problems, the most relevant of which are contained in the following list.

1. Wedge Entry

This is the problem of the entry of a wedge into water and models the impact of seas on a ship's hull. Dr McLeod, in conjunction with Professor E.G. Fraenkel, whose visit to Oxford was supported by the Grant made an analysis of the integral equation which governs this model, and much qualitative information about the value of possible solutions was obtained. This should lead to a result about the existence of solutions, a question which has been unresolved for some 50 years.

2. One-dimensional Solidification Models

(a) Solidification with kinetic undercooling

The classical Stefan model for supercooled solidification can be stabilised at high solidification rates by the mechanism of kinetic undercooling, but this model has received little mathematical attention except for the weak formulation of Visintin [1]. However, in the one-dimensional, one-phase case, it has now been possible to prove the existence and uniqueness of a classical solution which tends to the well-known solution of the Stefan problem as the kinetic undercooling tends to zero, as long as the solution of the latter problem exists [2].

(b) Analogies with the oxygen-consumption problem

The formal time-derivative of the one-phase supercooled Stefan problem (whose solution can blow up in finite time) is the well-posed oxygen consumption problem and this suggests a mathematical regularisation of the Stefan problem based on integrating the solution of the oxygen consumption. This regularisation and its possible physical implications are listed in [3].

3. Continuous casting

An informal 2-day meeting was arranged in collaboration with Professor D Bland, Cranfield Institute of Technology, in December 1987. As a result of this meeting and the Mathematical Study Group in Heriot-Watt University, March 1988, work is in progress on

(i) the numerical investigation of the continuous dependence of the solution of the classical continuous casting model on the mould heat transfer coefficient;

(ii) flux consumption during continuous casting [4].

4. Explicit Solutions in Two-Dimensional Solidification

Based on earlier work by Ham, some explicit similarity solutions for two-dimensional alloy solidification have been discovered which may be useful for comparison with numerical experiments [5]. Also conformal mapping techniques have been used to solve and unify several related free boundary problems [6].

5. Geometric Model for Dendritic Growth

The famous equation $\epsilon\theta + \theta = \cos\theta$, $\theta(+\infty) = \pm \pi/2$ has been studied numerically and analytically, using a high-precision algorithm to deal with cases when ϵ is small (positive or negative). Some preliminary results which confirm non-existence for $\epsilon \neq 0$ are described in [7], [8].

6. Off-axis Foci in Lens Design

As a preliminary to rigorous results concerning the design of axially symmetric lenses with arbitrarily prescribed foci, a formal argument has been prescribed which suggests that when the foci are near to or on the axis of symmetry, the lens must be close to one satisfying the Abbe-Sine or Herschel conditions respectively [9].

References for 1-6

- [1] Visintin, A. IMA J. App. Math, 1985, 35, 233-256.
- [2] Xie, W. The Stefan problem with a kinetic condition at the free boundary. Submitted to SIAM J. Math. Anal. 1988.
- [3] Fasano, A., Howison, S.D., Ockendon, J.R., Primicerio, M. Some remarks on the regularisation of the supercooled one-phase Stefan problem. Quart. App. Math. 1989.(to appear)
- [4] Bland, D. IMA J. App. Math, 1984, 32, 89-112.
- [5] Howison, S.D. Similarity solution to the Stefan problem and the binary alloy problem. IMA J.App. Math., 1989.(to appear).
- [6] Howison, S.D. and King, J.R. Explicit solutions to six free boundary problems. IMA J. App. Math., 1989.(to appear).
- [7] Hammersely, J.M., IMA J. App. Math. 1989 (to appear).
- [8] Amick, C.J. and McLeod, J.B. 1989 preprint.
- [9] Van-Brunt, B. The Herschel and Abbe-Sine Conditions as Limiting Cases in Lens Design. Accepted for IMACS conference, Paris, July 1988.

7. Travelling Waves in Neural Networks

This topic has implications both in mathematical biology, the human brain being one of the most obvious examples of a neural network, and in computer science ("connectionism"). Following a one dimensional model constructed by Professor G.B. Ermentrout at the University of Pittsburgh, we have been studying the integro-differential equation

$$+ V = \int k(x-y) S(V(y,t)) dy$$

for the potential $V(x,t)$ at a point x on the network and at time t . The given functions k, S reflect the properties of the particular network under discussion.

The most relevant type of solution is a travelling wave (there is evidence, for example, that both migraine and epileptic seizures are travelling waves in the brain), and under suitable conditions on the given functions k, S we have been able to show that the problem possesses a unique travelling wave and that this travelling wave is globally stable. The crucial condition is that S is such that the equation possesses two stable rest-points, say $V \approx 0$ and $V \approx 1$.

These results considerably extend and generalise earlier work [1], [2] for the nonlinear diffusion equation

$$u_t = u_{xx} + f(u).$$

8. Optical Fibre Manufacture

Following earlier work on a simple mathematical model of fibre tapering [3], in which extensional flows of an essentially isoviscous liquid were examined in the absence of surface tension, more general tapering and splicing problems are being considered (in partial collaboration with British Telecom). The single fibre model predicted that nonuniformities in fibre cross section propagated according to a nonlinear wave equation during the tapering process, and a principal goal is to extend this theory to multiple fibres which are being both spliced and tapered.

9. Thermistor Device Modelling

The transient behaviour of circuits containing thermistors is controlled by the heat conduction equation in the thermistor; this involves a nonlinear and nonlocal (in time) Joule heating term. In two dimensions, the steady state solution can often be analysed exactly using complex variables but the evolution problem has only been susceptible to formal asymptotic analysis so far [4,5]. This work has given preliminary indications of both the possibility of rapid temperature surges and the extent of the regions where thermal stresses are likely to be greatest.

10. Semiconductor Fabrication

Work has continued on models of the doping of silicon chips. An initial review of the so-called "birds-beak" phenomenon involving the masking nitride cap has been given in [6] and current research is being devoted to direct oxidation of trenches; the primary goal here is to develop a thermo-elastic model for the stress concentration which can lead to dislocation generation.

11. Phase change Problems

Generalised one-dimensional Stefan problems have been studied with the aim of achieving a better understanding of the stabilising effects of kinetic undercooling [7], and of modelling nucleation in a way which leads to a well posed mathematical model.

9. Other problems and future work

Work has recently begun on study of chemical reactions in hypersonic blunt body flow; the so-called "Newtonian limit" of such flows (in which the specific heat ratio tends to unity) is sufficiently simple that the chemical reaction can be analysed using perturbation theory and an initial paper is being prepared on the topic [8]. It is also anticipated that research will continue on nonlinear wave models for two-phase flow in boilers, based on a recent Ph. D. thesis [9], and on nonlinear diffusion models for ultrafiltration and shear band instabilities.

References for 7-9

- [1] Fife, P.C., McLeod, J.B. The approach of solutions of nonlinear diffusion equations to travelling wave front solutions. Arch. Rat. Mech. Anal. 65, (1977).
- [2] Fife, P.C., McLeod, J.B. A phase plane discussion of convergence to travelling fronts for nonlinear diffusion. Arch. Rat. Anal. 75, (1981).
- [3] Dewynne, J.D., Ockendon, J.R. & Wilmott, P. On a mathematical model for Fiber Tapering. SIAM J. App Math. 1989. (to appear).
- [4] Fowler A.C., Howison, S.D. Temperature surges in thermistors. Proc. ECMI 1988, ed. S. McKee (Teubner).
- [5] Fowler, A.C., Howison, S.D. & Hinch, E.J. Temperature surges in current-limiting devices. Submitted to Eur. J. App. Math. (1989).
- [6] Tayler, A.B. Mathematical Modeling of Semiconductor chip fabrication. Proc. ECMI 1988, ed. S. McKee (Teubner).
- [7] Dewynne, J.D., Howison, S.D., Ockendon, J.R., Xie, W. Asymptotic behaviour of solutions to Stefan Problems with Kinetic Undercooling. J. Austr. Math Soc. B. 1989 (to appear).
- [8] Louie, K., Ockendon, J.R. Relaxing Newtonian Hypersonic Flows. Phil. Trans. Roy. Soc. Lond. (1990) to appear.
- [9] Seward, P. A two-fluid model for the analysis of gross flow instabilities in boiling systems. D.Phil. thesis, Oxford (1989).